

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/25/2010 Revision date: 3/20/2023 Supersedes version of: 1/11/2023 Version: 3.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form Trade name Product group	<ul> <li>Mixture</li> <li>Ergolid EKO antifreeze concentrate</li> <li>Trade product</li> </ul>
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Relevant identified uses	
Main use category Use of the substance/mixture	<ul> <li>Industrial use,Professional use</li> <li>The Ergolid EKO antifreeze concentrate, after dilution with water, is used for filling domesti and industrial installations in the field of refrigeration, air conditioning, heating and solar systems and heat pumps.</li> </ul>
1.3. Details of the supplier of the safe	ty data sheet
Boryszew S.A. Oddział Boryszew ERG w Soc 15 Sierpnia 106 96-500 Sochaczew Poland T 468630201 certyfikacja@boryszewerg.com.pl, www.borys	
1.4. Emergency telephone number	
Emergency number	: 112
SECTION 2: Hazards identification	n
2.1. Classification of the substance o	r mixture
Classification according to Regulation (EC	C) No. 1272/2008 [CLP]
Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see secti	
Adverse physicochemical, human health a	and environmental effects
Causes skin irritation. Causes serious eye irri	tation.
2.2. Label elements	
Labelling according to Regulation (EC) No	. 1272/2008 [CLP]
Hazard pictograms (CLP)	
Signal word (CLP)	GHS07 : Warning
Hazard statements (CLP)	: H315 - Causes skin irritation. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	<ul> <li>P264 - Wash hands thoroughly after handling.</li> <li>P280 - Wear protective gloves.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> </ul>
EUH-statements	: EUH208 - Contains masa poreakcyjna 5-chloro-2-metylo-2H-izotiazol-3-onu i 2-metylo-2H- izotiazol-3-onu (3:1) sag7133 (55965-84-9). May produce an allergic reaction.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Methyl-1H-benzotriazole (29385-43-1), disodium tetraborate pentahydrate (12179-04-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	disodium tetraborate pentahydrate (12179-04-3)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	disodium tetraborate pentahydrate (12179-04-3)

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propane-1,2-diol substance with national workplace exposure limit(s) (PL)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	≤ 85	Not classified
sodium hydroxide substance with national workplace exposure limit(s) (PL)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≤ 0.7	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
disodium tetraborate pentahydrate substance listed on REACH Candidate List (Disodium tetraborate, anhydrous)	CAS-No.: 12179-04-3 EC-No.: 215-540-4 EC Index-No.: 005-011-00-4 REACH-no: 01-2119490790- 32	≤ 0.29	Repr. 1B, H360FD
Methyl-1H-benzotriazole	CAS-No.: 29385-43-1 EC-No.: 249-596-6 REACH-no: 01-2119979081- 35	≤ 0.2	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Repr. 2, H361d Aquatic Chronic 2, H411

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	≥0-<0.001	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT RE 1, H372 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Name	Product identifier	Specific concentration limits (%)
sodium hydroxide	CAS-No.: 1310-73-2	(0.5 ≤ C < 2) Skin Irrit. 2; H315
	EC-No.: 215-185-5	(0.5 ≤ C < 2) Eye Irrit. 2; H319
	EC Index-No.: 011-002-00-6	(2 ≤ C < 5) Skin Corr. 1B; H314
	REACH-no: 01-2119457892-	(5 ≤ C ≤ 100) Skin Corr. 1A; H314
	27	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and	CAS-No.: 55965-84-9	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317
2-methyl-2H-isothiazol-3-one (3:1)	EC Index-No.: 613-167-00-5	(0.06 ≤ C < 0.6) Skin Irrit. 2; H315
		(0.06 ≤ C < 0.6) Eye Irrit. 2; H319
		(0.6 ≤ C ≤ 100) Skin Corr. 1C; H314
		(0.6 ≤ C ≤ 100) Eye Dam. 1; H318

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Irritation. : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Dry chemical, CO2, or water spray or regular foam. Water spray. Dry powder. Foam. Carbon dioxide.	
Unsuitable extinguishing media	: Strong water jet.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: The vapours are denser than air and may travel along the ground. Distance ignition possible. Contact with combustible material may cause fire.	
Hazardous decomposition products in case of fire	: Carbon monoxide.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Eliminate every possible source of ignition. Absorb spillage to prevent material damage.		
For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	<ul> <li>Contain large spillage with sand or earth.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions Incompatible materials Maximum storage period	<ul> <li>Protect the product against the influence of air humidity and sunlight. Store at &lt;40 ° C. Store in a well-ventilated place. Keep cool.</li> <li>combustible materials.</li> <li>5 year</li> </ul>
7.3. Specific end use(s) No additional information available	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
National occupational exposure and biological limit values		
sodium hydroxide (1310-73-2)		
Poland - Occupational Exposure Limits		
Local name	Wodorotlenek sodu	
NDS (OEL TWA)	0.5 mg/m³	
NDSCh (OEL STEL)	1 mg/m³	
legulatory reference Dz. U. 2024 poz. 1017 wraz z późn. zm.		
Propane-1,2-diol (57-55-6)		
Poland - Occupational Exposure Limits		
Local name	Propano-1,2-diol	
NDS (OEL TWA)	100 mg/m³ pary i frakcja wdychalna	
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która stwarza zagrożenie dla zdrowia po zdeponowaniu w drogach oddechowych.	
Regulatory reference	Dz. U. 2024 poz. 1017 wraz z późn. zm.	

### 8.2. Exposure controls

#### Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protection equipment

Personal protective equipment symbol(s):



#### Eye and face protection

Eye protection: Safety glasses

#### **Skin protection**

**Skin and body protection:** Wear suitable protective clothing

Hand protection:

Protective gloves

### **Respiratory protection**

**Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment

**Environmental exposure controls** 

### Environmental exposure controls:

Avoid release to the environment.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical p	properties
9.1. Information on basic physical and c	hemical properties
9.1. Information on basic physical and c Physical state Colour Appearance Odour Odour threshold Melting point Freezing point Boiling point Flammability Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure	<ul> <li>hemical properties</li> <li>Liquid <ul> <li>Green.</li> <li>transparent, homogeneous, opalescent liquid, without sediments.</li> <li>slight. odourless.</li> <li>Not available</li> <li>Not applicable</li> <li>≤ -22 °C liquid concentrate after dilution with water distilled in a volume ratio 1: 1</li> <li>120 °C</li> <li>Non flammable.</li> <li>Not available</li> <li>Soluble in a volume ratio 1: 1</li> <li>22.08 mm² / s at 20 ° C</li> <li>168.42 mm² / s at 10 ° C</li> <li>Soluble in alcohols. Aldehydes. Material highly soluble in water. ketones. acetic acid. pyridine. Hydrocarbons, aromatic. Ethers.</li> <li>Water: 100 %</li> <li>Not available</li> </ul> </li> </ul>
Vapour pressure at 50°C Density Relative density Relative vapour density at 20°C Particle characteristics	<ul> <li>Not available</li> <li>≥ 1.05 g/cm³ at 20 °C</li> <li>1.05 at 20 °C</li> <li>Not available</li> <li>Not applicable</li> </ul>

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid open fire or flames. Avoid ignition sources. High temperature. Sparks.

10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids. Isocyanates.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Methyl-1H-benzotriazole (29385-43-1)		
LD50 oral rat	≈ 720 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 700 - 800	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-c	one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LD50 dermal rat	> 1008 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Propane-1,2-diol (57-55-6)		
LD50 oral rat	22000 mg/kg bodyweight Animal: rat, Remarks on results: other:	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit	
LC50 Inhalation - Rat	> 44.9 mg/l air Animal: rat, Guideline: other:, Remarks on results: other:	
disodium tetraborate pentahydrate (12179-04-	3)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:	
	Causes skin irritation. pH: 7.5 – 9.5 liquid concentrate after dilution with water distilled in a volume ratio 1: 1	
Methyl-1H-benzotriazole (29385-43-1)		
рН	7	
sodium hydroxide (1310-73-2)		
рН	> 13	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-c	one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
рН	3.43 Temp.: 20 °C Concentration: 10 g/L	
Propane-1,2-diol (57-55-6)		
рН	6.5 – 7.5	
disodium tetraborate pentahydrate (12179-04-	3)	
рН	9.3 3% solution	
Serious eye damage/irritation :	Causes serious eye irritation. pH: 7.5 – 9.5 liquid concentrate after dilution with water distilled in a volume ratio 1: 1	
Methyl-1H-benzotriazole (29385-43-1)		
рН	7	
sodium hydroxide (1310-73-2)		
рН	> 13	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-c	one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
	3.43 Temp.: 20 °C Concentration: 10 g/L	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Propane-1,2-diol (57-55-6)		
рН	6.5 - 7.5	
disodium tetraborate pentahydrate (12179-04-3)		
pH 9.3 3% solution		
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Methyl-1H-benzotriazole (29385-43-1)		
NOAEL (oral, rat, 90 days)	≈ 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-	one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LOAEL (dermal, rat/rabbit, 90 days)	0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.		
Propane-1,2-diol (57-55-6)		
NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male		
Aspiration hazard :	Not classified	
Ergolid EKO antifreeze concentrate		
Viscosity, kinematic	22.08 mm² / s at 20 ° C 168.42 mm² / s at 10 ° C	
Propane-1,2-diol (57-55-6)		
/iscosity, kinematic 40 – 45 mm²/s		
disodium tetraborate pentahydrate (12179-04-3)		
Viscosity, kinematic	Not applicable	
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic environment, long–term (chronic)	: Not classified	
Methyl-1H-benzotriazole (29385-43-1)		
LC50 - Fish [1]	55 mg/l Test organisms (species): Cyprinodon variegatus	
EC50 - Other aquatic organisms [1]	15.8 mg/l Test organisms (species): other aquatic crustacea:	
EC50 - Other aquatic organisms [2]	8.58 mg/l Test organisms (species): other aquatic crustacea:	
EC50 72h - Algae [1]	53 mg/l Test organisms (species): Skeletonema costatum	

# Safety Data Sheet

Methyl-1H-benzotriazole (29385-43-1)			
LOEC (chronic)	37.6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	18.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
sodium hydroxide (1310-73-2)			
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.		
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-o	one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
LC50 - Fish [1]	0.19 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
LC50 - Fish [2]	0.28 mg/l Test organisms (species): Lepomis macrochirus		
EC50 - Crustacea [1]	0.16 mg/l Test organisms (species): Daphnia magna		
NOEC (chronic)	0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	0.098 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		
Propane-1,2-diol (57-55-6)			
LC50 - Fish [1]	51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
LC50 - Fish [2]	51400 mg/l Test organisms (species): Pimephales promelas		
EC50 72h - Algae [1]	24200 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 72h - Algae [2]	19300 mg/l Test organisms (species): Skeletonema costatum		
EC50 96h - Algae [1]	19000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 96h - Algae [2]	19100 mg/l Test organisms (species): Skeletonema costatum		
disodium tetraborate pentahydrate (12179-04	-3)		
LC50 - Fish [1]	79.7 mg/l Test organisms (species): Pimephales promelas		
LC50 - Fish [2]	74 mg/l Test organisms (species): Limanda limanda		
EC50 72h - Algae [1]	66 mg/l Test organisms (species): Phaeodactylum tricornutum		
EC50 72h - Algae [2]	54 mg/l Test organisms (species): Phaeodactylum tricornutum		
NOEC chronic fish	6.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'		
12.2. Persistence and degradability			
Ergolid EKO antifreeze concentrate			
Persistence and degradability	Not rapidly degradable		

ersistence and degradability Not rapidly degradable		
Methyl-1H-benzotriazole (29385-43-1)		
Persistence and degradability	Not rapidly degradable	
sodium hydroxide (1310-73-2)		
Persistence and degradability Not rapidly degradable		
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Persistence and degradability Not rapidly degradable		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2179-04-3)

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available			
14.6. Special precautions	s for user			
Overland transport Not applicable				
Transport by sea Not applicable				
Air transport Not applicable				
Inland waterway transport Not applicable				
Rail transport Not applicable				

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Ergolid EKO antifreeze concentrate ; Mixture of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Mixture of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
30.	disodium tetraborate pentahydrate	Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively.

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq$  0.1 % or SCL: Disodium tetraborate, anhydrous (EC 215-540-4, CAS 12179-04-3)

Contains substance(s) listed on the REACH Candidate List < 0.1% or SCL.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### **National regulations**

#### Poland

**Polish National Regulations** 

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225). Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797). The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended). Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o 1 2014 item 1923) Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154). Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended). The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488) Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141). ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes		
Section Changed item Comments		Comments
		<b>Modified</b> November 21, 2022 changes in accordance with Regulation 2020/878
2.2	reclassification of the mixture	Modified 11.01.2023

# Safety Data Sheet

Indication of changes		
Section Changed item Comments		Comments
3.2		Modified Accurate estimation of concentrations in section 3.2 - 03/20/2023

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	

# Safety Data Sheet

ED         Endoctine disruptor           Full text of H- and EUH-statements:         Acute tox: 2 (Dermai)         Acute toxidiy (dermal), Category 2           Acute Tox: 2 (Inhalation)         Acute toxidiy (mihal), Category 3         Acute Tox: 3 (Ora)         Acute toxidiy (mihal), Category 3           Acute Tox: 3 (Ora)         Acute toxidiy (and), Category 3         Acute tox: 4 (Ora)         Acute toxidiy (and), Category 4           Aquatic Acute         Hazardous to the aquatic environment – Acute Hazard, Category 1         Aquatic Acute           Aquatic Chronic 1         Hazardous to the aquatic environment – Chronic Hazard, Category 1         Aquatic Chronic 2           Aquatic Chronic 2         Hazardous to the aquatic environment – Chronic Hazard, Category 1         Aquatic Acute           Eye Dam. 1         Serious eye damage/eye intation, Category 1         Eye Int. 2           Serious eye damage/eye intation, Category 1         Eye Int. 2         Serious eye damage/eye intation, Category 1           Rep. 18         Reproductive toxicity, Category 1         Sin Korn: 1         Sin corrosion/infration, Category 1, Sub-Category 1A           Skin Corr. 10         Skin corrosion/infration, Category 1, Sub-Category 1         Sin Sins: 1         Skin Series: 1           Skin Series: 1A         Skin corrosion/infration, Category 1         Sub-Category 1         Sub-Category 1           Skin Serie: 1A         Specific ta	Abbreviations and acr	Abbreviations and acronyms:		
Acute Tox. 2 (Dermai)Acute toxicity (dermai). Category 2Acute Tox. 3 (Ora)Acute toxicity (inhal.). Category 3Acute Tox. 3 (Ora)Acute toxicity (oral). Category 3Acute Tox. 4 (Ora)Acute toxicity (oral). Category 4Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye initiation, Category 2Eye Dam. 1Serious eye damage/eye initiation, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye initiation, Category 1Eye Dam. 1Corrosive to metals, Category 1Eye Dam. 1Serious eye damage/eye initiation, Category 1Repr. 1BReproductive toxicity, Category 1BRepr. 1BReproductive toxicity, Category 1Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Sons. 1ASkin corrosion/irritation, Category 1, Sub-Category 1Skin Sons. 1ASkin corrosion/irritation, Category 1, Sub-Category 1BStort FE 1Specific target organ toxicity – Repeated exposure, Category 1H230May be corrosive to metals.H314Causes serious eye damage.H315Causes serious eye damage.H316 </td <td>ED</td> <td>Endocrine disruptor</td>	ED	Endocrine disruptor		
Acute Tox. 2 (Dermai)Acute toxicity (dermai). Category 2Acute Tox. 3 (Ora)Acute toxicity (inhal.). Category 3Acute Tox. 3 (Ora)Acute toxicity (oral). Category 3Acute Tox. 4 (Ora)Acute toxicity (oral). Category 4Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye initiation, Category 2Eye Dam. 1Serious eye damage/eye initiation, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye initiation, Category 1Eye Dam. 1Corrosive to metals, Category 1Eye Dam. 1Serious eye damage/eye initiation, Category 1Repr. 1BReproductive toxicity, Category 1BRepr. 1BReproductive toxicity, Category 1Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Sons. 1ASkin corrosion/irritation, Category 1, Sub-Category 1Skin Sons. 1ASkin corrosion/irritation, Category 1, Sub-Category 1BStort FE 1Specific target organ toxicity – Repeated exposure, Category 1H230May be corrosive to metals.H314Causes serious eye damage.H315Causes serious eye damage.H316 </td <td></td> <td></td>				
Acute Tox. 2 (Inhalation)Acute toxicity (Inhal.). Category 2Acute Tox. 3 (Oral)Acute toxicity (oral), Category 3Acute Tox. 4 (Oral)Acute toxicity (oral), Category 4Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Eye Dam. 1Senious eye damageleye initiation, Category 1Eye Dam. 1Senious eye damageleye initiation, Category 1Eye Int. 2Senious eye damageleye initiation, Category 1Repr. 1BReproductive toxicity, Category 1BRepr. 1BReproductive toxicity, Category 1Skin Corr. 1ASkin corrosion/initiation, Category 1, Sub-Category 1ASkin Corr. 1BSkin corrosion/initiation, Category 1, Sub-Category 1BSkin Corr. 1BSkin corrosion/initiation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/initiation, Category 2Skin Sens. 1ASkin corrosion/initiation, Category 2Skin Sens. 1ASkin corrosion/initiation, Category 1Stort E 1Specific target organ toxicity – Repeated exposure, Category 1H301Toxici f swallowed.H310Gauses serious eye initiation.H311Causes serious eye initiation.H314Causes serious eye initiation.H315Causes serious eye initiation.H316Causes serious eye initiation.H317May cause an allergic skin reaction.H318Causes serious eye initiation. <td>Full text of H- and EUH</td> <td>I-statements:</td>	Full text of H- and EUH	I-statements:		
Acute Tox. 3 (Oral)Acute toxicity (oral). Category 3Acute Tox. 4 (Oral)Acute toxicity (oral). Category 4Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard. Category 1Aquatic Acute 1Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard. Category 2Eye Dam. 1Serious eye damage/eye inflation, Category 1Eye Dam. 1Corrosive to metals, Category 1Eye Intl. 2Serious eye damage/eye inflation, Category 2Met. Corr. 1Corrosive to metals, Category 1Repr. 1BReproductive toxicity, Category 1Repr. 1Skin corrosion/inflation, Category 1, Sub-Category 1ASkin Corr. 1ASkin corrosion/inflation, Category 1, Sub-Category 1BSkin Corr. 1ASkin corrosion/inflation, Category 1, Sub-Category 1CSkin Corr. 1CSkin corrosion/inflation, Category 1, Sub-Category 1Skin Corr. 1ASkin corrosion/inflation, Category 1, Sub-Category 1Skin Corr. 1ASkin corrosion/inflation, Category 1, Sub-Category 1Skin Corr. 1CSkin corrosion/inflation, Category 1, Sub-Category 1Skin Corr. 1ASkin corrosion/inflation, Category 1, Sub-Category 1 </td <td>Acute Tox. 2 (Dermal)</td> <td>Acute toxicity (dermal), Category 2</td>	Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2		
Acute Tox. 4 (Oral)         Acute toxicity (oral), Category 4           Aquatic Acute 1         Hazardous to the aquatic environment – Acute Hazard, Category 1           Aquatic Chronic 1         Hazardous to the aquatic environment – Chronic Hazard, Category 1           Aquatic Chronic 2         Hazardous to the aquatic environment – Chronic Hazard, Category 1           Aquatic Chronic 2         Hazardous to the aquatic environment – Chronic Hazard, Category 1           Eye Dam. 1         Serious eye damage/eye initiation, Category 2           Met. Cor. 1         Corrosive to metals, Category 1           Repr. 1B         Reproductive toxicity, Category 1B           Repr. 1A         Skin corrosion/irritation, Category 1, Sub-Category 1A           Skin Corr. 1A         Skin corrosion/irritation, Category 1, Sub-Category 1B           Skin Corr. 1B         Skin corrosion/irritation, Category 1, Sub-Category 1B           Skin Corr. 1C         Skin corrosion/irritation, Category 1, Sub-Category 1B           Skin Corr. 1B         Skin corrosion/irritation, Category 1, Sub-Category 1B           Skin Corr. 1B         Skin corrosion/irritation, Category 1           Skin Sens. 1A         Skin sensitisation, category 1           Skin Corr. 1B         Skin corrosion/irritation, Category 1           H290         May be corrosive to metals.           H310         Toxic if swallowed.	Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2		
Aquatic Acute 1         Hazardous to the aquatic environment – Acute Hazard, Category 1           Aquatic Chronic 1         Hazardous to the aquatic environment – Chronic Hazard, Category 1           Aquatic Chronic 2         Hazardous to the aquatic environment – Chronic Hazard, Category 2           Eye Dam. 1         Serious eye damage/eye inflation, Category 1           Eye Irit. 2         Serious eye damage/eye inflation, Category 1           Eye Irit. 2         Serious eye damage/eye inflation, Category 1           Repr. 1B         Reproductive to metals, Category 1           Repr. 1         Reproductive to metals, Category 1           Repr. 1         Skin corrosion/irritation, Category 1           Skin Corr. 1         Skin corrosion/irritation, Category 1, Sub-Category 1B           Skin Corr. 1         Skin corrosion/irritation, Category 1, Sub-Category 1C           Skin Sens. 1A         Skin sensitisation, category 1           Skin Sens. 1A         Skin sensitisation, category 1           Stor FE 1         Specific target organ toxiti/ – Repeated exposure, Category 1           H301         Toxic if swallowed.           H312         Hazardouse an allergic skin reaction.           H314         Causes serious eye damage.           H315         Causes skin irritation.           H316         Causes serious eye allergic skin reaction.	Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Met. Corr. 1Corrosive to metals, Category 1Repr. 1BReproductive toxicity, Category 2Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Corrosive to metals.Stin corrosion/irritation, Category 2Skin Sens. 1ASkin sensitisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corosive to metals.H310Toxic if swallowed.H314Causes serie skin burns and eye damage.H315Causes serie skin burns and eye damage.H316Causes serieus eye liritation.H317May cause an allergic skin reaction.H318Causes serieus eye liritation.H319Causes serieus eye liritation.H310Stati if inhaled.H320May damage fertility. May damage the unborn child.H330Fatal if inhaled.H330Very toxic to aquatic life.H410Very toxic to aquatic life. <td>Acute Tox. 4 (Oral)</td> <td>Acute toxicity (oral), Category 4</td>	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Senious eye damage/eye irritation, Category 2Met. Corr. 1Corrosive to metals, Category 1Repr. 1BReproductive toxicity, Category 1Repr. 2Reproductive toxicity, Category 1Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Sens. 1ASkin sensillsation, category 1, Sub-Category 1Stor TR 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H310Fatal in contact with skin.H314Causes series skin burns and eye damage.H315Causes series skin burns and eye damage.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye damage.H314Suspected of damaging the unborn child.H320May damage fertility. May damage the unborn child.H330Fatal if inhaled.H330Vey toxic to aquatic life.H410Vey toxic to aquatic life.H411Toxic to aquatic life.	Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Met. Corr. 1Corrosive to metals, Category 1Repr. 1BReproductive toxicity, Category 1BRepr. 2Reproductive toxicity, Category 1, Sub-Category 1ASkin Corro. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Corro. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin corro. 1CSkin corrosion/irritation, Category 1, Sub-Category 1BSkin corro. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Sens. 1ASkin corrosion/irritation, Category 1, Sub-Category 1CSkin Sens. 1ASkin corrosion/irritation, Category 1AStor RE 1Specific target organ toxicity – Repeated exposure, Category 1H200May be corrosive to metals.H301Toxic if swallowed.H310Fatal in contact with skin.H314Causes serious eye damage.H315Causes selious eye damage.H318Causes selious eye damage.H319Causes selious eye irritation.H310Fatal in contact with skin.H313Causes selious eye irritation.H314Causes selious eye damage.H319Causes selious eye irritation.H319Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye irritation.H320Fatal if inhaled.H3300Fatal if inhaled.H3300Fatal if inhaled.H3301Very toxic to aquatic	Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Eye Irrit. 2Serious eye damage/eye irritation, Category 2Met. Corr. 1Corrosive to metals, Category 1Repr. 1BReproductive toxicity, Category 1BRepr. 2Reproductive toxicity, Category 2Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Sens. 1ASkin sensitisation, category 1Stor TR 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H310Fatal in contact with skin.H314Causes server skin burns and eye damage.H315Causes server skin burns and eye damage.H318Causes server skin burns and eye damage.H319Causes serious eye irritation.H330Fatal if Inhaled.H330Fatal if Inhaled.H341Suspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Met. Corr. 1Corrosive to metals, Category 1Repr. 1BReproductive toxicity, Category 1BRepr. 2Reproductive toxicity, Category 2Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Sens. 1ASkin sensitisation, category 2Skin Sens. 1ASkin sensitisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H310Fatal in contact with skin.H314Causes serious eye damage.H315Causes serious eye damage.H318Causes serious eye damage.H319Causes serious eye irritation.H310Fatal if inhaled.H320May damage fertility. May damage the unborn child.H330Fatal if inhaled.H320May damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Repr. 1BReproductive toxicity, Category 1BRepr. 2Reproductive toxicity, Category 2Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Skin Sens. 1ASkin corrosion/irritation, Category 2Skin Sens. 1ASkin sensitisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes serious eye damage.H318Causes serious eye amage.H319Causes serious eye irritation.H320Hay damage fertility. May damage the unborn child.H321Suspected of damaging the unborn child.H322Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Repr. 2Reproductive toxicity, Category 2Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Skin Corr. 1CSkin corrosion/irritation, Category 2Skin Sens. 1ASkin sensitisation, category 1Stin Sens. 1ASkin sensitisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H315Causes serious eye damage.H316Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye damage.H314Suspected of damaging the unborn child.H320May damage fertility. May damage the unborn child.H321Suspected of damaging the unborn child.H322Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Met. Corr. 1	Corrosive to metals, Category 1		
Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1ASkin sensilisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H318Causes serious eye damage.H319Causes serious eye damage.H330Fatal if inhaled.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	Repr. 1B	Reproductive toxicity, Category 1B		
Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1ASkin sensitisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H318Causes server skin reaction.H319Causes serve gamage.H319Causes server gamage.H314Causes server gamage.H315Causes server gamage.H316Causes server gamage.H317May cause an allergic skin reaction.H318Causes serving eye damage.H319Causes serving eye damage.H319Causes serving eye damage.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	Repr. 2	Reproductive toxicity, Category 2		
Skin Corr. 1CSkin corrosion/irritation, Category 1, Sub-Category 1CSkin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1ASkin sensitisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes serious eye damage.H317May cause an allergic skin reaction.H318Causes serious eye irritation.H319Causes serious eye irritation.H330Fatal if inhaled.H330Fatal if inhaled.H340Suspected of damaging the unborn child.H361dSuspected of damaging the unborn child.H372Causes damage torgans through prolonged or repeated exposure.H400Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A		
Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1ASkin sensitisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes series skin irritation.H316Causes series explication.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Sens. 1ASkin sensitisation, category 1ASTOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H314Suspected of damaging the unborn child.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C		
STOT RE 1Specific target organ toxicity – Repeated exposure, Category 1H290May be corrosive to metals.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H310Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	Skin Irrit. 2	Skin corrosion/irritation, Category 2		
H290May be corrosive to metals.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H319Causes serious eye irritation.H314Causes serious eye irritation.H318Causes serious eye irritation.H319Causes serious eye irritation.H320Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Skin Sens. 1A	Skin sensitisation, category 1A		
H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1		
H302Harmful if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	H290	May be corrosive to metals.		
H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H314Causes skin irritation.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	H301	Toxic if swallowed.		
H314Causes severe skin burns and eye damage.H314Causes skin irritation.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H361dSuspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H302	Harmful if swallowed.		
H315Causes skin irritation.H317May cause an allergic skin reaction.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H361dSuspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H310	Fatal in contact with skin.		
H317May cause an allergic skin reaction.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H361dSuspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H314	Causes severe skin burns and eye damage.		
H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H361dSuspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H315	Causes skin irritation.		
H319Causes serious eye irritation.H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H361dSuspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H317	May cause an allergic skin reaction.		
H330Fatal if inhaled.H360FDMay damage fertility. May damage the unborn child.H361dSuspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H318	Causes serious eye damage.		
H360FDMay damage fertility. May damage the unborn child.H361dSuspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.		
H361dSuspected of damaging the unborn child.H372Causes damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H330	Fatal if inhaled.		
H372       Causes damage to organs through prolonged or repeated exposure.         H400       Very toxic to aquatic life.         H410       Very toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.	H360FD	May damage fertility. May damage the unborn child.		
H400       Very toxic to aquatic life.         H410       Very toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.	H361d	Suspected of damaging the unborn child.		
H410     Very toxic to aquatic life with long lasting effects.       H411     Toxic to aquatic life with long lasting effects.	H372	Causes damage to organs through prolonged or repeated exposure.		
H411 Toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.		
	H410	Very toxic to aquatic life with long lasting effects.		
EUH071 Corrosive to the respiratory tract.	H411	Toxic to aquatic life with long lasting effects.		
	EUH071	Corrosive to the respiratory tract.		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
EUH208	Contains masa poreakcyjna 5-chloro-2-metylo-2H-izotiazol-3-onu i 2-metylo-2H-izotiazol-3-onu (3:1) sag7133 (55965-84-9). May produce an allergic reaction.

### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.